

# 「射手座」

环保性更佳、去污性更强

整体色彩更考究、经济适用更好

更高的性价比是HengChen不懈的追求



HENGCHEN





# 「射手座」

环保性更佳、去污性更强

整体色彩更考究、经济适用更好

更高的性价比是HengChen不懈的追求



HENGCHEN





# 「射手座」

环保性更佳、去污性更强

整体色彩更考究、经济适用更好

更高的性价比是HengChen不懈的追求



HENGCHEN





# 「射手座」

环保性更佳、去污性更强

整体色彩更考究、经济适用更好

更高的性价比是HengChen不懈的追求



HENGCHEN





# 「射手座」

环保性更佳、去污性更强

整体色彩更考究、经济适用更好

更高的性价比是HengChen不懈的追求



HENGCHEN






# 「射手座」

环保性更佳、去污性更强

整体色彩更考究、经济适用更好


更高的性价比是HengChen不懈的追求




射手座21



射手座22



射手座23



射手座31



射手座32



射手座33







射手座11



射手座41

# 「射手座」

## INSTALLATION INSTRUCTIONS:



Quarter Turn Monolithic Horizontal Ashlar Random



## PRODUCT INFORMATION

|                                  |  |
|----------------------------------|--|
| Style name/产品名称                  | 射手座                                    |
| Construction/结构                  | level Loop                             |
| Fiber/纤维                         | 100% Polypropylene                     |
| Dye method/染色工艺                  | 100% solution dyed                     |
| Backing/底背                       | PVC                                    |
| Tufting Gauge/针密                 | 1/10"                                  |
| Pile Weight/绒重                   | 450g/m <sup>2</sup>                    |
| Pile Height/绒高                   | 3mm ± 0.5mm                            |
| Total Thickness/厚度               | Approx 6mm                             |
| Tile Size/尺寸                     | 500mm x 500mm                          |
| Anti-Bacteria<br>抗菌              | Pass AATCC 174 Anti-bacteria Test      |
| Anti-soiling<br>防污               | Pass AATCC 175 Stain Resistance        |
| TVOC<br>挥发                       | GB18587-2001 ≤ 0.500 mg/m <sup>3</sup> |
| Colourfastness to Light<br>耐光色牢度 | ≥ 4 after 100 hours AATCC 16E          |

## PRODUCT NOTES:

1. Product specifications are derived from averages resulting from normal manufacturing tolerances in yarn, fiber, temperature, humidity and colour. Product specifications may vary within normal industry and standardised testing tolerances.
2. These specifications reflect mean averages based upon tests of production runs of this carpet style by independent laboratories. A range of variances is implicit in the testing process. Furthermore, the standard test methods established to derive the specifications lack a degree of precision and repeatability; therefore, individual test results on the actual carpet purchased may differ from the specifications above.
3. Colours may vary slightly from dye lot to dye lot.
4. Backing or other materials may be changed without prior notice when shortages occur or when technological advancements become available which provide for improvement of the product's performance.
5. All products are 100% recyclable.