## 天琴

座

环保性更佳、去污性更强

整体色彩更考究、经济适用更好





| | | | | | | | |

环保性更佳、去污性更强 整体色彩更考究、经济适用更好





「天 琴

座

环保性更佳、去污性更强

整体色彩更考究、经济适用更好





#### | | | | | | | | |

环保性更佳、去污性更强 整体色彩更考究、经济适用更好





### 「 天 琴、

座

环保性更佳、去污性更强

整体色彩更考究、经济适用更好





# |天琴座

环保性更佳、去污性更强 整体色彩更考究、经济适用更好





### 「天 琴

座

环保性更佳、去污性更强 整体色彩更考究、经济适用更好





# |天琴座

环保性更佳、去污性更强 整体色彩更考究、经济适用更好






天琴座

环保性更佳、去污性更强 整体色彩更考究、经济适用更好





#### | | | | | | | | | |

#### 环保性更佳、去污性更强 整体色彩更考究、经济适用更好





天琴座11



天琴座21



天琴座22




天琴座31






#### **INSTALLATION INSTRUCTIONS:**











#### PRODUCT INFORMATION

(+-1	OF SEE AND
Style name/产品名称	天琴座
Construction/结构	Multi-level Loop
Fiber/纤维	Blended Nylon
Dye method/染色工艺	100% solution dyed
Backing/底背	PVC
Tufting Gauge/针密	47.00 rows per 10cm
Pile Weight/绒重	$500g/m^2$
Pile Height/绒高	3.5-5.5mm
Total Thickness/厚度	Approx 7mm
Tile Size/尺寸	500mm x $500$ mm
Nbs Smoke 烟密度	(ASTM E 662)less than 450
Flooring Radiant Panel 临界热辐射通量	Class(Mean average CRF: 0.45 watts/cm² orhigher) ASTM E-648
Electrostatic Propensity 静电倾向	3.0kV or lower AATCC 134
Colourfastness to Light 耐光色牢度	≥4 after 100 hours AATCC 16E

#### PRODUCT NOTES:

- 1. Product specifications are derived from averages resulting from normal manufacturing tolerances in yarn, fiber, temperature, humidity and colour. Product specifications may vary within normal industry and standardised testing tolerances.
- 2. These specifications reflect mean averages based upon tests of production runs of this carpet style by independent laboratories. A range of variances is implicit in the testing process. Furthermore, the standard test methods established to derive the specifications lack a degree of precision and repeatability; therefore, individual test results on the actual carpet purchased may differ from the specifications above.
- 3. Colours may vary slightly from dye lot to dye lot.
- 4. Backing or other materials may be changed without prior notice when shortages occur or when technological advancements become available which provit for improvement of the product's performance.
- 5. All products are 100% recyclable.