

云梦101+201



云梦102+104



云梦103+203



云梦104+204



云梦105+205



云梦201





云梦101 25cm*100cm



云梦102 25cm*100cm



云梦103 25cm*100cm



云梦104 25cm*100cm



云梦105 25cm*100cm



云梦201 25cm*100cm



云梦202 ^{25cm*100cm}



云梦203 25cm*100cm



云梦204 ^{25cm*100cm}



云梦205 ^{25cm*100cm}

INSTALLATION INSTRUCTIONS:





PRODUCT INFORMATION

Style name/产品名称	云梦
Construction/结构	Multi-Level Loop
Fiber/纤维	100% KVL™
Dye method/染色工艺	100% solution dyed
Backing/底背	环保PVC/Bio-ReBac [®] (可选)
Tufting Gauge/针密	1/10 CP
Pile Weight/绒重	云梦100: 500g/m² 云梦200: 700g/m²
Pile Height/绒高	3-5mm
Total Thickness/厚度	Approx 6-7mm
Tile Size/尺寸	25cmX100cm
Nbs Smoke 烟密度	(ASTM E 662)less than 450
Flooring Radiant Panel 临界热辐射通量	Class(Mean average CRF: 0.45 watts/cm² orhigher) ASTM E-648
Electrostatic Propensity 静电倾向	3.0kV or lower AATCC 134
Colourfastness to Light 耐光色牢度	≥4 after 100 hours AATCC 16E

PRODUCT NOTES:

- 1. Product specifications are derived from averages resulting from normal manufacturing tolerances in yarn, fiber, temperature, humidity and colour. Product specifications may vary within normal industry and standardised testing tolerances.
- 2. These specifications reflect mean averages based upon tests of production runs of this carpet style by independent laboratories. A range of variances is implicit in the testing process. Furthermore, the standard test methods established to derive the specifications lack a degree of precision and repeatability; therefore, individual test results on the actual carpet purchased may differ from the specifications above.
- 3. Colours may vary slightly from dye lot to dye lot.
- 4. Backing or other materials may be changed without prior notice when shortages occur or when technological advancements become available which provit for improvement of the product's performance.
- 5. All products are 100% recyclable.

